

## Appendix AB

### Bibliography

This page intentionally left blank.

## AB

## Bibliography

The following works are cited elsewhere in this document.

[AC 25-11, AC 23-11]

- [1][SF21 MP] FAA, *Safe Flight 21 Master Plan*, version 2.0. Washington, DC: Federal Aviation Administration, Safe Flight 21 Program Office (AND-510), April 2000. <<Once the citation [1] in Chapter 1 is changed to [SF21 MP], this reference should be alphabetized as [SF21 MP].>>
- [2][Boeing 1977] Boeing, *Cockpit Displayed Traffic Information Study*. Report FAA-EM-77-18, <<Seattle? Everett?, WA>>. Boeing Commercial Airplane Company, September 1977. << Once the citation [2] in Chapter 1 is changed to [Boeing 1977], this reference should be alphabetized as [Boeing 1977]. >>
- [3][Connelly 1977] Mark E. Connelly, *Simulation Studies of Airborne Traffic Situational Display Applications — Final Report*. Report ESL-R-751, Electronic Systems Laboratory, Massachusetts Institute of Technology, May 1977. <<Re-alphabetize this entry when the citation [3] in Chapter 1 is replaced by [Connelly 1977]. >>
- [DO-178B] RTCA, *Software Considerations in Airborne Systems and Equipment Certification*, document RTCA/DO-178B. Washington, DC: RTCA, December 1992.
- [DO-242A] RTCA, *Minimum Aviation System Performance Standards for Automatic Dependent Surveillance — Broadcast*, document RTCA/DO-242A. Washington, DC: RTCA, June 2002.
- [DO-243] RTCA, *Guidance for Initial Implementation of Cockpit Display of Traffic Information*, document RTCA/DO-243. Washington, DC: RTCA, February 1998.
- [DO-257A] RTCA, *Minimum Operational Performance Standards for the Depiction of Navigation Information on Electronic Maps*, RTCA/DO-257A draft #8. Washington, DC: RTCA, February 14, 2003.
- [DO-259] RTCA, *Application Descriptions for Initial Cockpit Display of Traffic Information (CDTI) Applications*, document RTCA/DO-259. Washington, DC: RTCA, September, 2000.
- [DO-260A] RTCA, *Minimum Operational Performance Standards for 1090 MHz ADS-B and TIS-B*, document DO-260A. Washington, DC: RTCA, <month> 2003.
- [DO-272] RTCA, *User Requirements for Aerodrome Mapping Information*, document RTCA/DO-272. Washington, DC: RTCA, October 2001.

- [DO-XXX] RTCA, *Minimum Aviation System Performance Standards for Traffic Information Service – Broadcast*, document DO-XXX. Washington: RTCA, Inc., <month> 2003.
- [NGS86] National Geodetic Survey, *Geodetic Glossary*. Rockville, MD: National Geodetic Survey, 1986.
- [PO-ASAS] FAA/EUROCONTROL Cooperative Research and Development Committee, *Principles of Operation for the Use of ASAS*, version 7.1. Brussels and Washington: EUROCONTROL and FAA, June 2001. Copies of this document may be obtained (a) by searching for “PO-ASAS” at the FAA Safe Flight 21 Internet site, <http://www.faa.gov/safeflight21/>, or (b) <<find another way to access this document.>>
- [SAE ARP5289] Society of Automotive Engineers, *Electronic Aeronautical Symbols*, Aerospace Recommended Practice ARP5289. Warrendale, PA: SAE, October 1997. This document sets forth design and operational recommendations concerning human factors issues and criteria for the standardization of electronic charting symbology.
- [TLAT report] ADS-B Technical Link Assessment Team (TLAT), *Technical Link Assessment Report*. Washington, DC, and Brussels, Belgium: RTCA and Eurocontrol, March 2001. <<Need to be more specific in this reference: how does one obtain a copy of the TLAT report? >>